RFQ #Q2014-00028 SPECIFICATIONS CHECKLIST

Description: The following specifications cover the requirements for Full Size (17,501 GVWR) Crew cab 4x4 with 12' flatbed.

1. ENGINE:
a. Manufacturer's standard Turbo Diesel engine, alternator, battery and cooling package.
b. Minimum 350HP / Minimum 650 ft. lbs. of torque.
MEETS: Yes No
2. TRANSMISSION/AXLES:
a. Manufacturer's standard automatic transmission.
b. Manufacturer's standard drive axle ratio for engine and transmission combination.
MEETS: Yes No
3. PERFORMANCE ITEMS:
a. Manufacturer's standard power steering.
b. Manufacturer's standard gauges to include speedometer, transmission temperature, hour meter, tachometer, coolant temperature, and engine oil pressure.
MEETS: Yes No
4. COMFORT ITEMS:
a. Manufacturer's standard heat and air conditioning.
b. Manufacturer's standard AM/FM stereo.
c. Heavy duty rubber floor covering instead of carpet.
d. Manufacturer's standard production vinyl 40-20-40 split bench seats (front) with seating for 6 neutral color.
e. Keys: two (2), single key locking system.
f. Power windows and door locks.
g. Tilt steering and cruise control.
h. Running boards.
MEETS: Yes No

5. SAFETY ITEMS:

	a. Dual power outside heated towing mirrors and inside rearview mirror.
	b. Interior dome lights with left and right door activated switches.
	c. Manufacturer's standard air bags.
	d. Roof mounted 60" amber L.E.D. light bar with rear facing "take down" and "alley" lights.
	e. Corner L.E.D. strobe lights installed in head lights and reverse lights.
	f. Back up alarm.
	MEETS: Yes No
6. BRA	KES:
	a. Four wheel anti-lock brake ABS system.
	b. Manufacturers Factory installed trailer brake controller.
	MEETS: Yes No
7. TIRES	S AND WHEELS:
	a. Manufacturer's standard wheels and tires.
	b. Conventional spare tire with jack.
	MEETS: Yes No
8. CHAS	SSIS, FRAME, CAB:
	a. Manufacturer's standard color, white.
	b. Manufacturer's standard 40 gallon fuel tank with skid plate.
	c. Manufacturer's standard front and rear bumpers.
	d. Crew Cab 4x4 with 12' flatbed and headache rack.
	e. Manufacturer's standard class IV towing package with round 7 pin trailer electrical connector.
	f. Manufacturer's factory installed frame mounted tow hooks in the front.
	MEETS: Yes No

. ELECTRICAL SYSTEM:	
a. 12 volt, 120 amp alternator	
b. Four (4) factory installed switches mounted on the dash board.	
MEETS: Yes No	

All exceptions must be listed by line item number and letter on a separate sheet following this page.